DE Board of Veterinary Medicine 05/09/2017 01:00 PM

861 Silver Lake Blvd., Cannon Building Second Floor Conference Room A Dover, DE 19904

Posted: 04/24/2017 BS



CANNON BUILDING 861 SILVER LAKE BLVD., SUITE 203 DOVER, DELAWARE 19904-

2467

Printed: 4/24/2017 2:15 PM EST

STATE OF DELAWARE

BOARD OF VETERINARY MEDICINE TELEPHONE: (302) 744-4500

WEBSITE: DPR.DELAWARE.GOV

EMAIL:

CUSTOMERSERVICE.DPR@STATE.DE.US

AGENDA

(Amended Items marked by Asterisk)

I. Call to Order

II. Review and Approval of Minutes - April 11, 2017

A. Review and Approval of Minutes - February 14, 2017

III. Unfinished Business

- A. Review of Hearing Officer Recommendation for Matthew Jones
- B. Ratification of Veterinary Application(s) by Reciprocity
 - 1. Matthew Edson

IV. New Business

- A. Ratification of Veterinary Application(s) by Reciprocity
- B. Review of Veterinary Technician Application(s)
 - 1. Ashley Joyce Reinstatement
- C. Status of Complaint(s)

V. Correspondence

VI. Other Business before the Board (For Discussion Only)

VII. Public Comment

VIII. Next Meeting Date - June 13, 2017

IX. Adjournment

Please Take Note: To assure consideration of an application at a meeting, the Board office must receive all of these items no later than 4:30 p.m. ten full working days before the meeting date:

- Completed, signed and notarized application form,
- · Fee payment, and
- All required documentation.

A final amended agenda will be published to reflect any items received after the original agenda is posted.

Unforeseen circumstances may result in a meeting being cancelled due to a lack of quorum.

Pursuant to 29 <u>Delaware Code</u>, Section 10004(e)(2), the Board shall pre-announce or pre-publish all Executive Sessions; however, such agenda shall be subject to change to include additional items including Executive Sessions which arise at the time of the body's meeting.

MEMBERS: PLEASE CALL THE BOARD OFFICE AT 302-744-4500 OR EMAIL customerservice.dpr@state.de.us IMMEDIATELY IF YOU CANNOT ATTEND THE MEETING. THANK YOU.